
# WAGONS





**IMPALA** 

Versatility and value have been traditionally the hallmarks of an Impala Station Wagan. 1980 is no exception. Impola, like the Caprice Wagan, offers family-oriented features: a convenient three-way doorgate, easy rear seat conversion, a four-foot-wide carga area, not one but two lockable storage compartments and a generous 87 cubic feet of carga capacity with rear seat folded. There's even an available third seat option that lets you toke more passengers along. And that's the real beauty of an Impala Wagan. You can carry people or packages beautifully. On a maneuverable 116" wheelbase. With a computer-assisted-design, full-perimeter steel frame. A Full Cail spring suspension system for a smooth ride. And a new 4.4 Liter (267 Cu. In.) 2-Bbl. V8 is standard (not available in California).

The 1980 Impala Station Wagan. It's loaded with wagan value.





The 1980 Caprice Classic is the top-of-the-line Chevrolet Wagon. Trim, sculptured lines outside . . . elegance and room inside. With a lot of great new styling ideas. But the big news for 1980 is that Chevrolet is now offering, for the first time, diesel performance on their Caprice and Impula Wagons. (Not available in California at time of printing. See dealer for availability) Take a test drive. See how smooth and quick a diesel can be.

You can have diesel performance in the most elegant of 1980 Chevrolet Wagons—the Caprice Classic. With its distinctive new grille, new wheel covers, and many standard features, it's a beautiful wagon to see and drive.







Then again, you may wish to have the use of it more traditional tailgate. No problem. Release the inside catch with the window lowered and the gate comes down to provide a load floor extension for easy loading or unloading. The tailgate also serves as a handy table for picnics and football game festivities.



Lockable storage compa and utility trays. The left re

A WORD ABOUT THIS CATALOG: We have tried to make this catalog as comprehensive and factual as possible. And we hape you find it helpful. However, since the time of printing, some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalog is available at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date.

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models, and to discontinue models. Check with your Chevrolet dealer for complete information.



People who own wagons usually spend a lot of time in them. That's why we've tried to design our wagons with your comfort and your convenience in mind. With deep, full-loam cushion-supported seats covered in elegant cloth upholstery as shown in the available Caprice intend or dove. Or in tough viny las shown in the standard Impala intenior below. And with either Caprice or an Impala (Wagon, you've got plenty of cargo space. With the doorgate down, there's a 28.7-inch-high by 48.2-inch-wide opening for loading 87 cubic feet of cargo. Between the wheelhousings, there's a full four feet ... and the floor length measures 7.5 feet with the rear seat down.







The 1980 Chevrolet Caprice Classic instrument panel incorporates a modular-design instrument panel set off by handsome simulated Carpathian Elm wood-tone accents. It's easy to read and use.

Automatic transmission,

power steering, and an electric clock are standard and so is a flow-though ventilation system to help add outside air to your wagan. Also standard: power brakes, a lockable glove compartment with light, and a column-mounted headlight

dimmer and turn signal control. Available options, shown above, include Comfortron air conditioning, GM-Delco AM/FM stereo/Citizens Band radio, digital clock, Gage Package, electric rear window defoger and automatic speed control.

## CAPRICE CLASSIC AND IMPALA STATION WAGON FEATURES

1. Maneuverable 116" wheelbase for driv-

Power front disc/rear drum brakes. A self-adjusting system. 12-inch power front.

Doosier results in reduced pedal effort, 3. Power steering helps reduce turning effort for parking and slow-speed maneuvering, with forward-mounted recirculating-ball steering gear and linkage.

linkage.

4. Computer-designed full-perimeter-type steel frame helps provide structural naidity.

5. Computer-selected coil springs both front and rear help give a smoothed-out ride and are selected for specific vehicle.

ride and are sensus and equipment weight.

6. Front stabilizer bar helps provide ride stability on curves and turns.

7. Double-panel construction provides two lavers of steel in doors, hood and

8. Cushioned body-mounting system iso-lates passenger area and helps reduce 9. Inner fenders both front and rear fea-ture steel inner shields for road splash and

10. Visible ball joint wear indicators are cated on front suspension lower control ms and provide visual check of ball joint

11. Steel bumpers with high-strength

Delco Freedom battery never needs refilling. Sealed side terminals help resist

14. Built-in engine diagnostic connector permits quick and accurate diagnosis of engine electrical system by service techni-cians.

More standards
New onti-corresion measures \*New V8
New onti-corresion measures \*New V8
Toda of hims \*Flow-though ventilation
system \*Concooled duol-speed windsheld wipers \*Inside hood release for
underhood security \*Color-keyed steering column and steering wheel \*Coolont
recovery system \*Doyinight inside rearview mirror \*Giove comportient lock
and light \*Power toligate window \*Virgicompact spare fire stores ventically in the
right rear trim panel and includes an assis
strop to aid removal \*Convenically in the
right rear trim panel and includes an assis
strop to aid removal \*Convenically in the
door-actuated retractors \*Debuse colorkeyed seet and shoulder belts.

\*Coprice Clossic only\*

Reyed seed and shoulder bets.

Caprice Classic only

New grills styling - Newly styled brightoccented triple-unit fallights - New special full wheel covers - Distinctive hood
ornament - Wheel opening, side window,
lower side door and tallgate windowopening moldings - Quiet Sound Group

- Dual horns - Electric clock.

Impala only
Newly styled grille featuring vertical
accent bars - Distinctive hubcaps \* New
rear lighting treatment with backup lights
centered between the taillights and stop
lights.

Extensive corrosion-resistant treatments
There is extensive use of zinc-rich pre-coated metal. And an oil base wax coating is used for the frame, with an abrasion-resistant coating for the lower body. Special coatings, primers and sealers are used in strategic areas.

14 exterior color choices
White, Silver, Black, Light Blue Metallic,
Dark Blue Metallic, Dark Green Metallic,
Yellow, Beige, Light Camel Metallic,
Medium Camel Metallic, Claret Metallic,
Dark Claret Metallic, Cinnabar, and Gray
Many Custom Two-Tone paint combinations are also available.

6 interior color choices Black, Dark Blue, Green, Camel, Claret and Oyster.

LONG RECOMMENDED SERVICE INTERVALS\*

| INTERVALS\* | (under normal driving conditions) | Engine Oil 12 months or 7,500 miles | Oil Filter 12 months or first 7,500 miles | every 15,000 miles thereafte | Spark Plags 30,000 miles | Ohassis Lubrication 12 months or 7,500 miles |

Automatic Transmission Fluid Change Every 100,000 miles \*Except diesel. 122,500 miles with 4.4 Liter V8.

Standard V8 power
The standard Caprice/Impala Wagon
engine is a 4.4 Liter (267 Cu. In.) 2-Bbl.
V8 with an automatic transmission. The
available 5.0 Liter (305 Cu. In.) 4-Bbl. V8

DIMENSIONS (IN INCHES)

EXTERIOR	
Wheelbose	116.0
Length (overall)	215.1
Width (overall)	79.1
Height (loaded)	58.0
Tread-Front	62.2
Tread-Rear	64.1
Fuel Tank Capacity	22 gallons
INTERIOR	
Head room—Front	39.6/39.4*
Head room-2nd seat	39.4/39.1*
Leg room Front	42.4
Leg room2nd seat	37.7
Hip room-Front	55.0
Hip room—2nd seat	55.0
Shoulder room—Front	60.8
Shoulderroom—2nd seat	60.9
Floor length, front seat to tailgate (closed)	90.2
Total cargo valume— rear seat down (cu. ft.)	88.6/87.9*

A WORD ABOUT ENGINES

Chevrolets are equipped with GM-built engines produced by various divisions. Please refer to the Caprice Impala Power Teams Chart or see your dealer for details.

CHEVROLET POWER TEAMS

Engine	Code	(cubic inches)	Engine Availability	Automatic
ALL STATES EXCEPT CALIFORNIA (	with Stanc	dard Emission !	System)	The same of the sa
4.4 Liter 2-Bbl. V8 (A)	L39	267	Std.	Std.
5.0 Liter 4-Bbl. V8 (A)	LG4	305	EC	Std.
5.7 Liter Diesel V8 (B)	LF9	350	EC	Std.
CALIFORNIA ONLY (with California	a Emission	Requirements	)	-
5.0 Liter 4-Bbl. V8 (A)	LG4	305	EC	Std.
5.7 Liter Diesel V8 (B)*	LF9	350	EC	Std.
ita Standard. EC-Available at extra cost.				

Std.—Standard. EC-Available at extra cost.

(A) Produced by GM-Chevrolet Motor Division and GM of Canada.

(B) Produced by GM-Oldsmobile Motor Division.

\*Not available at time of printing. See dealer for availability.

The available at time of priming. See dealer for avail.

Other standard engine features.

High Energy Ignition - Delication generates.

High Energy Ignition - Trule evapportion or ontrol systems stores level apports normally lost to atmosphere from level tank and continuation after engine shuldware Carlos-lytic converted handless and engine so the control functions outside the engines so the control functions outside the engines of the control functions.

Now Chevrolet offers you the advan-tages of diesel performance in their full-sized Caprice Classic and Impala Wannes

Wagons. Take a test drive. We think you'll be quite impressed by the response, acceler ation and smoothness of this available

sabity.

5.7 Liter diesel VB. (Diesel not available in California at time of printing. See dealer for availability.


And remember, a diesel VB has no spark plus. No daributer. No carburetor. Regular maintenance requirements are very simple. Just change all and filter every 3,000 miles and check the crankcase venification every 6,000 miles.

Other than that, the scheduled maintenance a similar to other Cheevold VBs.











Meet the 1980 Malibu Wagon Meet the 1980 Maible Wagon, It could be the start of a long and beautiful electionship. That trim Maible design is now powered by the start of a long and beautiful electionship. That trim no last year. For 1980 a new. more powerful 3.8 I liter (229 Cu. In.) Vé engine is standard on all Maible and Maible and Maible and Maible with Maible and Maible and Maible and Maible and Maible and Maible and And I you like to personalize, choose from a wide range of options. An options availability



If you have a lot to load, the back seat lowers with the lift of a handle



An available security package makes the concealed floor compa ment lockable and puts covers and locks on the side storage bins A great way to keep valuables like cameras and such out of sight





opening into the cargo area. helpful aid in light partian People who buy a 1980 Chevrolet Malibu Classic or Malibu Station Wagan do so for two very important, though different, reasons. First of all, they want a stylish-looking, mid-sized model. A wagan they can park and maneuver easily. In the looks department, there's no doubt that Malibu Wagans are very stylish automobiles. And Malibu's 1081, ""wheelbose makes it easy to maneuver through city traffic and find that parking place. Second, they want a wagan that's big enough to handle cargo and people comfortably.

swings up on gas-assisted cylinder hinges to allow fast, easy loading of light items. A helpful aid in tight parking spaces.

ng spaces.

We think you can get this great combination of style, size and value in a 1980 Malibu Wagon.
For example, the kind of room that matters. Six people and a cargo area big enough to accommodate their needs.
And if you order the Estate Equipment Package on your Malibu Classic, your wagon will be dressed up in distinctive new simulated wood-grain vinyl panels along the sides and tailgate. An ideal complement to Malibu Classic styling.
For looks . . . for loads . . . Malibu or Malibu Classic. 9





Malibu Classic interior shown with available camel cloth, 50/50 front seat with fold-down center armrests, power door locks, air conditioning, GM-Delco AM/FM stereo radio and other available options.

# **MALIBU CLASSIC AND** MALIBU **INTERIORS**

Just as Malibu Classic and Malibu Wagon are trim and stylish outside, so they are inside. You sit in full-foam molded

seats with cut-pile carpeting below and a foam-backed cloth

seats with cut-pile carpeting below and a foam-backed cloth headiliner above.
And there's a wide range of colors available to help you personalize the interior. For example, the Malibu Classic gives you a choice of standard viny upholstery in blue, black, camel and claret.
Or you can order the optional 50/50 front seat (with separate adjustable passerger seat) in blue, camel or drater two-you can offer the optional 50/50 front seat (with separate adjustable passerger seat) in blue, camel or claret wo-your cloth.
No matter which interior you select, all Malibu Wagons provide dual mode ventilabilion which circulates outside air when the ignition is on. And rear-seat passengers are treated to large, lixed rear-door windows with swing-out vents. Plur sercessed armeets in the door.
There's a lot of good old-fashioned Chevrolet value in every new Malibu Classic or Malibu Station Wagon.



11

## MALIBU CLASSIC AND MALIBU WAGON STANDARD FEATURES

Maneuverable 108.1" wheelbase. Short wheelbase chassis helps contribute to

wheelbase chassis helps contribute to driving ease in city traffic and parking. 2. Power frott disc/rear drum brake sys-tem. A self-adjusting system. Fade-resistant front disc brakes have audible wear sensors to let you know when to

wear sensors to fel you know me replace pads.

3. High Energy Ignition. A solid-state system that eliminates points and ignition conclenser, yet delivers a high-voltage spork in the legis extend time between spork that helps stated time between cated on front suspension lower control cated on front suspension lower control arms for visual check at ball joint wear.

5. Full Cail suspension system. With computer-selected cail springs for the state of the control of the

along with tront stabilizer bar.

6. Dual-mode high/low interior ventilation system. Fan-driven upper mode circulates air from the outside when the ignition
is on. Lower ram air mode supplements
upper mode at road speeds.

corrosion.

8. Double-wall construction. Provides have layers of steel in doors, hood and 9. Radial ply tires. GM Specification fiberglass-belted radial ply tires.

10. Wheel covers. Distinctive Chevrolet full wheel covers. (Available sport wheel covers and white-stripe tires shown.)

11. Steel bumpers. Solid steel bumpers both front and rear with high-strength aluminum reinforcements on front and

12. High-pressure compact spare tire.
Takes up less space in the stowage compartment than conventional spare tire. 13. Convenient column-mounted head-light dimmer and turn signal control. Fingerlip control for turn signals and head-light dimmer.

light dimmer.

MORE STANDARD FEATURES
Delcotron generator - Sieel full perimetertype frame - Wheel opening moldings
- Front stabilizer bar - Concealed dualspeed windshidd wipers - Lange, fixed picture windows in rear side doors - Swingout rear vents - Inside hood release for
underhood security - Color-keyed cut-pil
column and steering wheel - Glove compartment lock - Polluxe color-keyed seat
and shoulder belts - Coolant recovery
system.

Malibu Classic only
New bright racker panel moldings

- Standup front end panel ornament

- Wide wheel opening and window reveal
moldings - Dual horns - Lights in ashirtay,
glove compartment, as well as cour-tesy light - Classic level interior trim.

Exterior colors
Beige, Black, Dark Blue Metallic, Light
Blue Metallic, Light Camel Metallic,
Metalum Camel Metallic, Granbor,
Claret, Dark Claret Metallic, Gray Dark
Claret, Dark Claret Metallic, Gray Dark
Green neutral co

Interior colors Black, Blue, Camel and Claret available in most vinyl and cloth selections.

Extensive corrosion-resistant treatments
There is extensive use of zinc-rich precoated metal. And an oil base wax 
coating is used for the frame, with an 
abrasion-resistant coating for the low 
body. Special coatings, primers and 
sealers are used in strategic areas.

Acoustical treatments
A cushioned body mounting system iso-lates passenger area from road noise and vibration. There are over ten other mastic or spray-on sound-deadener treatments used.

LONG RECOMMENDED SERVICE INTERVALS [Under normal driving conditions] Engine Od 12 months or 7,500 miles Of 17 months or 7,500 miles were 18,000 miles thereafter Spork Plays 3,000 miles thereafter Chassis Urbication 12 months or 7,500 miles Automatic

DIMENSIONS (IN INCHES)

Wheelbase	108.1
Length (overall)	193.4
Width (overall)	71.2
Height (loaded)	54.5
Tread—Front	58.5
Tread-Rear	57.8
Fuel Tank Capacity	18.2 gallons
INTERIOR	
Head room-Front	38.8*
Head room—Rear (second seat)	38.8*
Hip room-Front	52.2
Hip room—Rear [second seat]	55.6
Leg room—Front	42.8
Leg room—Rear (second seat)	35.9
Shoulder room—Front	57.3
Shoulder room—Rear (second seat)	57.1
Total cargo volume— rear seat down	72.4 cu. ft.†
Opening height at tailgate	27.8
Tailgate opening width at belt	51.6
Floor length, front seat to tailgate	81.2
Width between wheelhousings	43.6
38 S on Molhy Classic +71 8 on	Molibu Clossi

A WORD ABOUT ENGINES


MALIBU POW	ER TEAMS	Engine Availability Transmission Availability				
Engine		Ordering Code	Displacement (cubic inches)		Three- Speed Manual (1)	Automotic
<b>ALL STATES E</b>	XCEPT CALIFORN	NIA (with S	itandard Emiss	ion Syste	em)	
3.8 Liter 2-Bbl	. V6 (A)	LC3	229	Std.	Std.	EC
4.4 Liter 2-Bbl	. V8 (B)	L39	267	EC (2)	NA	EC
5.0 Liter 4-Bbl	. V8 (B)	LG4	305	EC (2)	NA	EC
CALIFORNIA	ONLY (with Calif	fornia Emi	ssion Requiren	ents)		
3.8 Liter 2-Bbl	. V6 (C)	LD5	231	Std.	NA	EC
5.0 Liter 4-Bbl	V8 (B)	LG4	305	EC(2)	NA	EC
itdStandard.	NA-Not Available.	EC-Avail	able at extra cost.			

Md. - Mandard. M. A.-Not Available. EC. - Available at extra cost (1) With floor-mounted shift control.
(2) Power steering required.
(4) Produced by GM.- Chevrolet Motor Division.
(8) Produced by GM.- Chevrolet Motor Division and GM of Canada.
(C) Produced by GM.- Buick Motor Division and GM of Canada.

(C) Peduced by GM-Black Merc Division.

Stendard 3.8 Liter V6 Engine
A 3.8 Liter (229 Cu. In.) 2-8bl. V6 engine
with three-speed manual floor-shift transmission is standard, except in California In California In California B 3.8 Liter (221 Cu. In with outformalic transmission is required.
This V6 engine represents of blend of six-cylinder performance and V8 smoothness. Although the engine block and cylinder heads are cost-iron tough, in the control of the control of

Standard engine features.
Fuel evaporation control system stores
fuel vapors normally lost to atmosphere
from the fuel tank and carburetor after
engine is shut down Carburetor hat or
system mixes hat air from the manifold
hat stove with outside air during warmup. Catolytic converter handes mas
jine so the car can be initially funed at the
factory for good engine performance.





AVAILABLE OPTION		•	npolo Mol	Clos
Air Conditioning, Comfortron			NA.	
Air Deflector, Rear Window	NA	NA		
Axles:		-		
Performance Axle Ratio	•	•	•	
Limited Slip Differential		•	•	
Battery, Heavy-Duty	•	•	•	
Bumper Equipment, Front & Rear: Bumper Rub Strips				
Bumper Guards	·	-		-
Carpeting, Deluxe Load Floor	•		•	-
Carrier, Roof	•	•		
Clocks:		_	-	-
Digital			NA	
Electric	S		•	
Defogger, Electric Rear Window		•		
Door Lock System, Power				
Estate Equipment		NA		
Gage Package	•			
Gage Package with Tachometer	NA:	NA		
Generator, HD Delcotron	•	•	•	
Glass, Tinted			•	
Horns, Dual	S		S	
Lighting, Auxiliary	•	•		
Mirrors:				
Remote-Control Outside Rearview—Ll- Remote-Control Outside	•	•	•	_
Regniew—LH & RH			NA	
Sport, Twin Remote	•		•	-
Sport, LH Remote & RH Manual		•		-
Visor, RH			NA	
Visor, Illuminated RH			NA	
Moldings:				
Body Side			•	
Door Edge Guard	•			
Quiet Sound Group	S	•	S	
Radiator, Heavy-Duty	•			
Radio Equipment: AM—AM/FM	-			
AWFMCitizens Band	•	•	•	-
with Power Antenna				
AMFM Stereo/Citizens	-	-	-	
Band with Power Antenna	•			
AMFM Stereo				
AM/FM Stereo/8-Track				
AMFM Stereo/Cassette				
AM/8-Track Stereo				
AM/FM Stereo/Digital Clack	•		•	Т
Speaker, Rear Seat	•		•	
Speakers, Dual Front	•		•	
Power Antenna	•	•		
Six-Way Power Seat	•	•	•	
Speed Control, Automatic	•	•	•	
Steering Wheel, Comfortilt	•		•	
Striping, Body Side Pin	•	•	•	
Suspension Equipment:	-			
Shock Absorbers, Inflatable Rear	÷	•	NA	
Heavy-Duty Front & Rear		•	NA NA	
Tailgate Lock, Power	NA.	NA.		10
Tailgate Window Release, Power	S		•	_
Transmission, Automatic Wheel Equipment:	9	S	•	
Full Wheel Covers	S		5	
Sport Wheel Covers	•	•	•	-
Wire Wheel Covers	•	NA	•	
Rally Wheels	NA	NA		-
Windows, Power	•	•		-



Intermittent windshield wiper system. Ideal for light rain or mist. Varies the wipe cycle.



NITROOM S T/GATE LOOK

Power tailgate lock. Lock or unlock the tailgate from insid

including CB reo tape.

Roof carrier. The perfect spot to put large, bulky items. A great asset on a family vacation.













Deluxe loadfloor carpeting. M





Power antenna. Automati-cally raise or lower radio an-tenna from inside wagon.

Visor mirror. Available with a without illumination for right-hand visor.

SAFETY FEATURES

SAFETY FEATURES
Occupant protection.
Seat belts with pushbutton buckles for all
passenger positions • Two
front combination seat
and inertior reel shoulder
belts for driver (with reminder light and buzzer)
and right front passenger
• Energy-absorbing steering column • Passenger
guard door locks • Safety
door latches and stamped
steel hinges • Folding
seat back latches
• Energy-absorbing padded instrument panel and
front seat back tops
• Laminated windshield
• Safety armests.

Accident avoidance.

Sofely armests.

Accident avoidance.

Accident avoidance.

Side marker lights and reflectors - Parking lamps that illuminate with head-lamps - Four-way hazard warning flosher - Backup lights - Lane change feature in direction signal control - Windshield defrosters, washer and duol-speed wipers - Wide-view inside mirror (Vinyl-edged, shatter-resistant glass and deflecting support) - Outside rearview mirror - Dual master cyl-inder brake system with warning light - Starter safety switch - Dual-action safety hood latches.

Anti-theft.

Anti-theft. Anti-theft ignition key reminder buzzer • Anti-theft steering column lock.

# A word about assembly, components and optional equipment in these Chevrolets.

The Chevrolets described in this catalog are assembled at facilities of General Motors Corporation operated by the Chevrolet Division. GM Assembly Division or GM of Canada. These vehicles incorporate thousands of different components produced by various ands of different components produced by various ands of different components from time for the components. The components of the compon

# AND FOR EVEN MORE ROOM, LOOK AT THESE CHEVY VEHICLES.



Seats up to 12. Holds plenty of cargo. Chevy Sportvan is available in a broad range of sizes and capacities to fit many family and business applications. There's seating available for up to 12 depending on available equipment and model selected. Choose from 110" or 125" wheelbase models with GVW ratings up to 8600 lbs. on the G30 125" wheelbase model. Chevy G30 Sportvan shown in Deluxe Two-Tone blue and white with available 12-passenger seating and Below Eyeline mirrors.



The superwagon built to stay tough. Suburban does what few other wagons can. Properly equipped, it can seat up to nine adults. It can take on 144 cubic feet of cargo with just the front seat in place. A wide selection of engines, plus 4-wheel-drive models, is available to match your driving needs. Chevy C20 Suburban shown in Special Two-Tone red and Santa Fe tan with available Silverado trim and Below Eyeline mirrors.



Built to take on the rough country. Blazer's conventional part-time 4-wheel-drive system is standard this year. Manually operated freewheeling front hubs allow you to switch from freewheeling to front lock position. Also available: 2-wheel-drive models. Chevy K10 Blazer shown in Special Two-Tone dark camel and white with available Silverado trim, Exterior Decor Package, Below Eyeline mirrors and Rally wheels.



