Chevrolet Police, Taxi and Emergency Vehicles Chevrolet



Designed for rugged, dependable service.

1982 Chevy Impala and Malibu Classic

Designed and tuned for tough police and taxi operation.

For 1982, Chevrolet offers a wide lineup of vehicles to meet the tough, specialized work of public safety agencies and taxi fleets: full-size Impala and mid-size Malibu Classic cars plus a selection of light-duty trucks (see page 8 for truck specifications).


Keep in mind that much of what you want in police or taxi vehicles is already engineered into regular production Chevrolets. To their solid basic design, you can add special equipment options to satisfy your specific requirements.

The 9C1 police chassis, 9C6 taxi chassis and companion special equipment options for Impala and Malibu Classic are designed to be an integral part of the vehicle and are not items installed on regular production cars. The chassis packages and special equipment options are engineered specifically for police and taxi work and, along with the vehicle, are

tuned to their special needs. For this reason, it is necessary that you allow sufficient lead time between date of ordering and desired delivery of your 1982 Chevrolet vehicles. To further expedite delivery of your Chevrolet police or taxi vehicles, it is suggested that you arrange with another supplier for installation of any equipment not included in the special equipment options listed on the back page of this catalog.

Impala

FULL-SIZE ROOM AND COMFORT FOR SIX ADULTS.
RESPONSIVE AND AGILE FOR CITY OR HIGHWAY.



Impala continues to be the full-size value it's been famous for these past 23 years. For '82, we invite you to examine it with an eye on technology. Impala is equipped with Computer Command Control, an on-board computer that monitors engine functions, and fine-tunes the engine's performance under all normal operating conditions—

continuously—as you drive. Also standard are low-drag front disc brakes. Easy-Roll radial ply tires and 3.8 Liter (229 Cu. In.) V6 engine. (Not available in Calif.). New fluidic windshield washer system. Available only to law enforcement agencies for law enforcement pursuit purposes is a 5.7 Liter (350 Cu. In.) 4-Bbl. V8. Other Impala

features include full-size roominess and comfort and impressive driving, automatic transmission, power steering, power front disc/rear drum brakes, 25-gallon fuel tank and roomy 20.9-cu.-ft. trunk. An optional gage package with trip odometer, fuel economy and temperature gages is available except with Special Police speedometer.

STANDARD FEATURES

- 116-inch wheelbase with tight turning circle (38.8 feet curb-to-curb).
- Computer Command Control.
- Delco Freedom II battery never needs
 water
- Built-in engine electrical diagnostic connector.
- High Energy Ignition eliminates points and ignition condenser.
- · Side-lift frame jack.
- · Window frame on doors.
- Door lock design helps make break-ins difficult.
- Molded full foam seat construction.
- Single-loop front seat and shoulder belt system
- New interior trim fabrics and colors.
- Extensive corrosion treatment.

- Headlight dimmer switch on turn signal lever
- Speedometer face includes metric numerals.
- Inside hood release.

IMPORTANT: A WORD ABOUT THIS CATALOG.

We have tried to make this catalog as comprehensive and factual as possible and we hope you find it helpful. However, since the time of printing, some of the information you will find here may have been updated. Also, some of the equipment shown or described

throughout this catalog is available at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date.

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.

LIFE CYCLE COST/PERFORMANCE EVALUATION.

Increasingly important is the cost of keeping a vehicle in service, mile after mile, month after month. Initial purchase price is no longer the only or best indicator of product value. The process of recognizing and considering important factors is known as Life Cycle Cost/Performance Evaluation.

These factors include initial cost, plus fuel economy, parts replacement, resale value, police or taxi capability, human environmental factors, as well as mechanical evaluations such as potential downtime and serviceability of both car and equipment.

This process of Life Cycle Cost/ Performance Evaluation is now used by law enforcement agencies in many parts of the country. When reviewing your needs in terms of vehicles available, it is suggested that you conduct a Life Cycle Cost/Performance Evaluation on the Chevrolet vehicles and other units you're considering. We'd like to suggest that you also might want to contact Public Safety departments and taxi operators using Chevrolet vehicles to compare your findings.

Malibu Classic

GENEROUS ROOM. SENSIBLE MID-SIZE.
EASY TURNING AND MANEUVERABILITY IN CITY TRAFFIC.





The popularity of the Malibu Classic in police work proves its mid-size and generous overall interior room and trunk capacity make it an ideal vehicle for urban police and taxi duty. For 1982, Malibu Classic standard features include Computer Command Control, Easy-Roll tires, side-lift frame jack, improved windshield washer system and power

steering. Also standard is a 3.8 Liter (229 Cu. In.) V6 (not available in Calif.). Available only to law enforcement agencies for law enforcement pursuit purposes is a 5.0 Liter (305 Cu. In.) 4-Bbl. V8. Malibu Classic quality features include a strong perimeter frame, Full Coil spring suspension at all four wheels, extensive corrosion-resistant

treatments and a Delco Freedom II maintenance-free battery. Among the optional equipment available is a gage package with trip odometer available except with Special Police Speedometer.

STANDARD FEATURES

- 108.1" wheelbase with tight turning circle (37.1 feet curb-to-curb).
- Window frame on doors, with large fixed window in rear doors. Behind the rear windows are swing-out vents.
- High Energy Ignition.

- · Coolant recovery system.
- Cushioned body mounting system.
- Single-loop seat and shoulder belt system.
- Speedometer face includes metric numerals.
- · Inside hood release.

 Headlight dimmer switch on turn signal lever. This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.

Police Car



Impala police vehicle equipment

AVAILABLE ON IMPALA SEDAN 18L69

SEO 9C1 includes the following which are different from regular production Impala:

- Increased gage of certain frame members.
- Engine valve train durability features.
- Greater capacity oil filter (1 quart capacity
 —V8 only) (unavailable with 7P8 engine oil
 cooler).
- Firm feel steering gear and linkage.
- 8.75" ring gear rear axle.
- Temperature-controlled fan on models without air conditioning.
- · Semi-metallic front brake pads.
- 11" x 2" 23-lb. rear brake drums.
- Large-bolt circle 15" x 7" wheels.
- Special police pursuit suspension includes front and rear stabilizer bars, special springs and shocks (included only when police or QHK tires are ordered).
- · Larger radiator (same as RPO VO8).
- Fuel vapor return system on V8.
- · Special balanced drive shaft.
- Heavy-duty battery equivalent to 80-amp-hr.
- Special calibrated transmission and torque converter with V8.

(POWERTRAIN COMBINATIONS LISTED ON PAGE 11)

IMPALA DIMENSIONS (In Inches)

(III III III III III III III III III II	4-Door Sedan
Exterior	
Wheelbase	116.0
Length (overall)	212.1
Wheel Tread	
Front	61.8
Rear	60.8
Width (overall)	75.3
Height (loaded)	56.4
Interior	
Front Compartment	
Head Room	38.6
Leg Room	42.2
Shoulder Room	60.5
Hip Room	55.0
Rear Compartment	
Head Room	38.2
Leg Room	39.1
Shoulder Room	60.5
Hip Room	55.3
Luggage Capacity Usable (cu. ft.)	20.9

THE FOLLOWING OPTIONS MUST BE ORDERED WITH 9C1 EQUIPMENT:

- RPO LC3 or LM1 Engine Assembly (see Powertrain Combinations for details).
- SEO 7K3 70-amp Delcotron generator (50-amp at 700 RPM idle) (included when air conditioning C60 and C49 rear window defogger are ordered together) or SEO 7K4 80-amp Delcotron generator (58-amp at

700 RPM idle).

- SEO 7Z9 Special Police Speedometer with 2-MPH increments, 120 MPH maximum, or 8A1 production speedometer (for undercover work).
- SEO 5JN or 5JS Police Service Tires SEO 9A3 speedometer gear change must be
- ordered. In addition, SEO SAA available for police tire deletion.
- SEO 6C1 Heavy Service Front Bench or SEO 6F3 50/50 Seat or SEO 6B9 Heavy Service Bucket seats.

See back cover for additional options.

IMPALA POLICE VEHICLE SEAT TRIMS

		Order Trim Number			
Upholstery Type	Color	SEO 6C1 Bench H.D.	SEO 6B9 H.D. Buckets	SEO 6F3 50/50 Seat H.D.	
Regular Production Trims	Any Reg.	Any Available	Not	Not	
(cloth or vinyl)	Prod. Color	Trim No.	Available	Available	
SEO 6R6—H.D. Vinyl	Dark Blue	GDD1	GDD2	GDD3	
	Doeskin	GCC1	GCC2	GCC3	
SEO 6R7—H.D. Cloth	Dark Blue	PDD1	PDD2	PDD3	
	Doeskin	PCC1	PCC2	PCC3	

Specifications



Malibu Classic police vehicle equipment

AVAILABLE ON MALIBU CLASSIC SEDAN 1GW69

SEO 9C1 includes the following which are different from regular production Malibu Classic:

- · Reinforced frame.
- Engine valve train durability features.
- Greater capacity oil filter (1-quart capacity
 —V8 only) (unavailable with 7P8 engine oil
 cooler).
- Front and rear semi-metallic brake linings.
- Vented, higher gage wheels 14" x 6" 5-bolt.
- Specific body mounts.
- Special police suspension includes front and rear stabilizer bars, special springs and shocks, special front suspension jounce bumpers (only when pursuit tires are ordered).
- Higher cooling capacity radiator (same as RPO VO8).
- Temperature-controlled fan on models without air conditioning.
- Fuel vapor return system on V8.
- Special balanced drive shaft.
- Specific brake master cylinder and booster.
- Heavy-duty battery equivalent to 80-amp-hr.
- Special calibrated transmission and torque converter with V8.
- Bright moldings deleted from side window openings, deck lid, rocker panels and wheel openings.

(POWERTRAIN COMBINATIONS LISTED ON PAGE 11)

MALIBU CLASSIC DIMENSIONS (In Inches)

	4-Door Sedan
Exterior	
Wheelbase	108.1
Length (overall) Wheel Tread	192.7
Front	58.5
Rear	57.8
Width (overall)	72.3
Height (loaded)	55.7
Interior	
Front Compartment	
Head Room	38.5
Leg Room	42.8
Shoulder Room	56.7
Hip Room	52.2
Rear Compartment	
Head Room	37.6
Leg Room	38.0
Shoulder Room	57.1
Hip Room	55.6
Luggage Capacity	
Usable (cu. ft.)	16.6

THE FOLLOWING OPTIONS MUST BE ORDERED WITH 9C1 EQUIPMENT:

- RPO LC3, or LG4 engine assembly (see Powertrain Combinations for details).
- SEO 7K3 70-amp Delcotron generator (50amp at 700 RPM idle), or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle).
- SEO 7Z2 Special Police Speedometer with

2-MPH increments, 120-MPH maximum. Includes voltmeter, water temperature gage, oil pressure gage and clock. Or SEO 7Z9 special police speedometer (includes clock) with 2-MPH increments, 120-MPH maximum, or 8A1 production speedometer (for undercover work).

- SEO 5KV or 5KW Police Service Tires.
 SEO 9A3 speedometer gear change must be ordered. In addition, SEO SAA available for police tire deletion.
- SEO 6C1 Heavy Service Front Bench without armrest or SEO 6B8 55/45 Seat or 6B9 Heavy Service Bucket Seats.

MALIBU CLASSIC POLICE VEHICLE SEAT TRIMS

		Order Trim Number			
Upholstery Type	Color	SEO 6C1 H.D. Bench Seat	SEO 6B9 H.D. Buckets	SEO 6B8 55/45 Seat H.D.	
SEO 6S5—Std. Vinyl	Dark Blue	NDD1	Not	Not	
	Doeskin	NCC1	Available	Available	
SEO 6S6—Std. Cloth	Dark Blue	TDD1	Not	Not	
	Doeskin	TCC1	Available	Available	
SEO 6R6—H.D. Vinyl	Dark Blue	GDD1	GDD2	GDD3	
	Doeskin	GCC1	GCC2	GCC3	
SEO 6R7—H.D. Cloth	Dark Blue	PDD1	PDD2	PDD3	
	Doeskin	PCC1	PCC2	PCC3	

See back cover for additional options.

This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.





SEO 9C6 includes the following which are different from regular production Impala:

- · Heavy-service vinyl trim in dark blue or doeskin (order GDD1 for dark blue and GCC1 for doeskin).
- · Heavy-service front and rear bench seats.
- Increased gage of certain frame members.
- Engine valve train durability features.
- · Greater capacity oil filter (1-quart capacity -V8 only) (unavailable with 7P8 engine oil cooler).
- 8.75" ring gear rear axle.
- Temperature-controlled fan on models without air conditioning.
- Semi-metallic front brake pads.
- 11" x 2" 23-lb. rear brake drums.
- · Large-bolt circle 15" x 7" wheels.
- Larger radiator (same as RPO VO8).
- Fuel vapor return system on LG4. · Heavy-duty battery equivalent to 80amp-hr.
- · Rubber floor mats.
- · Rear door jamb dome lamp switches.
- · Door ajar warning lamp.

(POWERTRAIN COMBINATIONS LISTED ON PAGE 11)

IMPALA DIMENSIONS (In Inches)

(III IIICIICS)	
	4-Door
	Sedan
Exterior	
Wheelbase	116.0
Length (overall)	212.1
Wheel Tread	
Front	61.8
Rear	60.8
Width (overall)	75.3
Height (loaded)	56.4
Interior	
Front Compartment	
	38.6
Head Room	
Leg Room	42.2
Shoulder Room	60.5
Hip Room	55.0
Rear Compartment	
Head Room	38.2
Leg Room	39.1
Shoulder Room	60.5
Hip Room	55.3
Luggage Capacity	20.9
Usable (cu. ft.)	20.9

THE FOLLOWING OPTIONS MUST BE ORDERED WITH THE 9C6 EQUIPMENT:

• RPO LC3, or LG4 Engine Assembly (see Powertrain Combinations for details).

 SEO 7K3—70-amp Delcotron generator (50-amp at 700 RPM idle) (included

with C60 air conditioning and C49 rear window defogger) or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle).



Specifications



SEO 9C6 includes the following which are different from regular production Malibu Classic:

- Heavy-service vinyl trim in dark blue or doeskin (order GDD1 for dark blue and GCC1 for doeskin).
- · Heavy-service front and rear bench seat.
- · Reinforced frame.
- Engine valve train durability features.
- Greater capacity oil filter (1-quart capacity
 —V8 only) (unavailable with 7P8 engine oil
 cooler)
- Front and rear semi-metallic brake linings.
- Vented, higher gage wheels 14" x 6" 5-bolt.
- Special springs and shocks.
- Higher cooling capacity radiator (same as RPO VO8).
- Temperature-controlled fan on models without air conditioning.
- Fuel vapor return system on LG4.
- Specific brake master cylinder and booster.
- · Heavy-duty battery equivalent to 80-amp-hr.
- · Rear door jamb dome lamp switches.
- Door ajar warning lamp.
- Black rubber floor mat.
- Bright moldings deleted from side window openings, deck lid, rocker panels and wheel openings.

(POWERTRAIN COMBINATIONS LISTED ON PAGE 11)

MALIBU CLASSIC DIMENSIONS (In Inches)

	4-Door
	Sedan
Exterior	
Wheelbase	108.1
Length (overall)	192.7
Wheel Tread	
Front	58.5
Rear	57.8
Width (overall)	72.3
Height (loaded)	55.7
Interior	
Front Compartment	
Head Room	38.5
Leg Room	42.8
Shoulder Room	56.7
Hip Room	52.2
Rear Compartment	
Head Room	37.6
Leg Room	38.0
Shoulder Room	57.1
Hip Room	55.6
Luggage Capacity	
Usable (cu. ft.)	16.6

THE FOLLOWING OPTIONS MUST BE ORDERED WITH THE 9C6 EQUIPMENT:

- RPO LC3, or LG4 engine assembly (see Powertrain Combinations for details).
- SEO 7K3 70-amp Delcotron generator (50-

amp at 700 RPM idle), or SEO 7K4 80-amp Delcotron generator (58-amp at 700 RPM idle)



See back cover for additional options. This catalog should not be used for ordering purposes. Rather it is intended as a source of advance information for planning future vehicle fleet needs. For further details, contact your local Chevrolet dealer or the Chevrolet Zone Office covering your area.

1982 Chevy Trucks

For Special Police, Taxi and Emergency Duty

Suburban

SUBURBAN DIMENSIONS (In Inches)

(in inches)	2-Wheel Drive	4-Whee Drive
Exterior		
Wheelbase	129.5	129.5
Length (overall) Wheel Tread	220.0	220.0
Front	64.75	66.14
(10 Series) (20 Series)	66.38	67.87
	00.30	07.07
Rear (10 Series)	63.42	63.02
	65.88	65.88
(20 Series)	79.6	79.6
Width (overall)	79.0	19.0
Height (unloaded) (10 Series)	72.0	73.7
(20 Series)	74.3	76.1
Interior	74.5	10.1
Front Seat—Width	59.0	59.0
Head Room	40.5	40.5
Leg Room	40.8	40.8
Shoulder Room	65.4	65.4
Hip Room	60.5	60.5
Center Seat—Width	62.2	62.2
Head Room	41.1	41.1
Leg Room	35.4	35.4
Shoulder Room	65.4	65.4
Hip Room	60.5	60.5
Rear Seat—Width	48.5	48.5
Head Room	39.1	39.1
Leg Room	32.7	32.7
Shoulder Room	66.0	66.0
Hip Room	49.3	49.3

STANDARD FEATURES.

- Truck-size payload. Up to 3930 lbs. including the driver, equipment and cargo.
- Easy-opening double rear doors. Open 37.7" high and 60" wide.
- Rugged girder beam front suspension (2WD models), multi-leaf rear suspension.
- Tinted glass in all windows

- · Double-wall construction in critical areas.
- Custom Deluxe interior trim with full-depth, foam-cushioned front seat and cockpit-type instrument cluster.
- · Energy-absorbing steering column.
- Computer-matched brake system. Powerassisted front disc brakes and finned rear drum brakes are computer-matched to the gross vehicle weight rating of the Suburban you order.
- New 4-speed automatic overdrive transmission for C10-20 models.
- Salisbury rear axle with large ring gear and roller bearings.
- Tough truck frame. Ladder-type all-steel frame with deep-section channel side rails.
- Aluminized muffler. Aluminized inside and out to fight corrosion.
- · Acrylic enamel finish. Two coats.
- Improved corrosion protection. Includes expanded use of corrosion-resistant steels.
- Automatic locking front hubs on 4-wheel-drive models.
- Steel-belted radial tires.
- Power steering (4WD models).

SELECTED AVAILABLE OPTIONS.

These and other options help make Suburban a rugged, effective emergency vehicle.

- New 6.2 Liter V8 Diesel engine.
- New 4-speed automatic transmission with overdrive.
- Trailering Special Package.
- Power door locks and power windows.
- Automatic speed control with Resume feature.
- Front Quad Shock off-road package (4WD models).
- Halogen hi-beam or hi/lo-beam headlamps.
- New rear compartment heater for greater passenger comfort.
- New rear window defogger for trucks with power tailgate window.
- 63-amp generator.
- · Heavy-duty battery
- Center and rear seats.
- · Comfortilt steering wheel.
- Fuel tank stone shield.
- · Dual-unit front and rear air conditioning.



The rugged squad of Chevy trucks. With the kind of spacious interiors and strong chassis it takes to shoulder special assignments. Chevy truck value begins deep down. For a firm, smooth ride there's the Chevy rugged girder beam suspension on 2-wheel-drive vehicles. In addition, Chevy Suburbans and Blazers feature a tough steel frame with deep-section channel side rails. And Chevy Vans offer unitized construction.

For 1982, both Suburban and Blazer feature the addition of an all-new optional 6.2 Liter Diesel engine. A solid choice for workers who demand power plus fuel efficiency. Recommended for use in trucks expected to undergo high idle-time, heavy mileage and heavy loads.


Chevy Suburban's roomy interior can hold up to nine passengers with optional seating.

Or, with just the front seat in place, it can handle up to 144 cu. ft. of cargo. In addition, when properly equipped, Suburban can move up to 15,500 lbs., including itself, passengers, cargo and trailer.

Chevy 4x4 Blazer is built to handle rough terrain and big jobs. Blazer's 4-wheel-drive system lets you switch from 2- to 4-wheel-drive and back again without leaving the driver's seat, giving you flexibility for heavy emergency action. A two-wheel-drive Blazer model is also available.

A strong body-frame helps Chevy Vans carry payloads up to 4182 lbs. Pick from six tough models capable of handling a wide variety of tough jobs. People-moving, cargo hauling, or both.

Tough Chevy trucks get the job done. Whatever the job.



Blazer

STANDARD FEATURES.

- Automatic transmission now standard on C10 models.
- Energy-absorbing steering column.
- Automatic locking front hubs on 4-wheel-drive models.
- Added anti-corrosion treatment. For 1982
 Blazer has improved corrosion protection
 with expanded use of Zincroterne® coating
 on brake pipes. Zincroterne® coating is now
 also used on the hydraulic power steering
 pressure lines.
- New chrome front and rear bumpers enhance the appearance of the Custom Deluxe model.
- Power steering on 4WD Blazers.
- On 4-wheel-drive models front suspension consists of tough leaf springs. A stabilizer bar is standard.
- Surprisingly smooth ride. Spring rates, spring camber and shock absorber valving have been designed to provide a comfortable ride.

- Tinted glass. For your comfort, Blazer has standard tinted glass all around.
- Computer-matched brakes. Powerassisted, low-drag front disc brakes with wear sensors and finned rear drum brakes.
- Steel-belted radial tires.

SELECTED AVAILABLE OPTIONS.

Just a few of the options available for police, taxi and emergency use:

- New 6.2 Liter V8 Diesel engine available on 4WD models.
- New 4-speed automatic transmission with overdrive.
- Automatic speed control with Resume feature.
- · Heavy-duty battery.
- 31-gallon fuel tank.
- Front Quad Shock off-road package (4WD models).
- · Front tow hooks.
- Halogen hi-beam or hi/lo-beam headlamps.
- · Shield—fuel fank and transmission case.
- 63-amp generator.
- · Comfortilt steering wheel.

BLAZER DIMENSIONS (In Inches)

(III IIICIICS)		
	2-Wheel	4-Whee
	Drive	Drive
Exterior		
Wheelbase	106.5	106.5
Length (overall)	185.6	185.6
Wheel Tread		
Front	64.35	66.14
Rear	63.02	63.02
Width (overall)	79.6	79.6
Height (unloaded)	70.6	73.8
Interior		
Front Bucket Seat—		
Width	23.6 each	23.6 each
Head Room	41.0	41.0
Leg Room	40.9	40.9
Shoulder Room	65.6	65.6
Hip Room	60.5	60.5
Rear Seat—Width	48.5	48.5
Head Room	39.3	39.3
Leg Room	31.6	31.6
Shoulder Room	64.6	64.6
Hip Room	49.3	49.3
7		



Chevy Van

CHEVY VAN DIMENSIONS (In Inches)

N. C.		G10	
	SW	B*	LWB*
Exterior			
Wheelbase	11	0	125
Length (overall)	178	3.2	202.2
Wheel Tread			
Front	68	.62	68.62
Rear	66	.96	66.96
Width (overall)	79	.5	79.5
Height (unloaded)	79	1.4	79.2
	G	20	G30
	SWB	LWB	LWB
Exterior			
Wheelbase	110	125	125
Length (overall)	178.2	202.2	202.2
Wheel Tread			
Front	69.02	69.02	68.61
Rear	67.36	67.36	70.08
Width (overall)	79.5	79.5	79.5
Height (unloaded)	79.7	79.5	81.8
ACUID CL WIL	11		

*SWB—Short Wheelbase

*LWB—Long Wheelbase

STANDARD FEATURES

 Chevy Van's advanced 4.1 Liter Six. This engine features a recalibrated camshaft for smooth operation.

 Tough unitized body. Chevy Van's body and frame are integrated into a strong single

unit for high payloads.

 Rugged girder beam suspension. A rigid steel beam plus two contoured steel control arms at each end which flex freely up and down help to smooth out the ride.

 New energy-absorbing steering column incorporates an ignition switch and new multi-function "Smart Switch."

- multi-function "Smart Switch."

 Leaf-type rear springs. Two-stage rear springs, that stiffen as the load weight increases, help to make a smooth, balanced ride.
- Computer-matched brakes. Front disc brakes and finned rear drum brakes are computer-matched to the GVWR of the van you order.
- Tight turning circle. The 110" wheelbase model Chevy Van features a tight wall-towall turning circle of just 43.1 ft. Great for city driving and parking.

 Added anti-corrosion measures. New, more extensive anti-corrosion treatments than

last year.

 Big payloads. Payloads range up to 4182 lbs. when properly equipped. The popular G20 model has a standard payload capacity of 2674 with a 125" wheelbase.

- Fiberglass or steel-belted radial tires.
- The standard interior. Designed with two things in mind: comfort and practicality.
 Roomy, low-back seats are built to take tough usage. Easy-to-read instrument panel is attractive and functional.

SELECTED AVAILABLE OPTIONS

This is a partial list of available options for Chevy Vans.

- 5.0 Liter (305 Cu. In.) V8 engine with Electronic Spark Control (not available in California).
- Halogen headlamps.
- Front and rear heavy-duty shock absorbers.
- Rear heavy-duty springs.
- · Heavy-duty battery.

Sportvan

The Chevy Sportvan, with available seating for up to 12, is ideal for van-pooling and other people-moving operations. Sportvan incorporates the basic value features of the Chevy Van with a choice of a standard and two optional passenger interiors.



Powertrain combinations

IMPALA 9C1 POLICE VEHICLES

Engines		Displacement		Axle l	Ratio	
Order No.	Type	Liters	Cu. In.	Carb.	Option	Ratio
RPO LC3(A)*	V6	3.8	229	2 ВЫ.	Base	2.73
RPO LM1(B)†	V8	5.7	350	4 Bbl.	Base	3.08

^{*}Not available California.

IMPALA 9C6 TAXI VEHICLES

Engin	es	Displa	cement		Axle	Ratio	
Order No.	Type	Liters	Cu. In.	Carb.	Option	Ratio	
RPO LC3(A)*	V6	3.8	229	2 Bbl.	Base	2.73	
RPO LG4(B) •	V8	5.0	305	4 Bbl.	Base	2.73	

^{*}Not available California.

MALIBU CLASSIC 9C1 POLICE VEHICLES

Engin	es	Displa	cement		Axle	Ratio	
Order No.	Type	Liters	Cu. In.	Carb.	Option	Ratio	
RPO LC3(A)*	V6	3.8	229	2 Bbl.	Base	2.41	
RPO LG4(B) †	V8	5.0	305	4 Bbl.	Base	2.73	

^{*}Not available California.

MALIBU CLASSIC 9C6 TAXI VEHICLES

Engin	es	Displacement			Axle Ratio	
Order No.	Type	Liters	Cu. In.	Carb.	Option	Ratio 2.41
RPO LC3(A)*	V6	3.8	229	2 Bbl.	Base	
RPO LG4(B) •			4 Bbl.	Base	2.29	

^{*}Not available California.

TRUCK ENGINE AVAILABILITY

	Engine Description and Ordering Code								
MODEL AVAILABILITY	4.1 Liter (250 Cu. In.) 2-Bbl. 6-Cyl.(A) 5.0 Liter (305 Cu. In.) 4-Bbl. W/ESC V8(B)			5.7 Liter (350 Cu. In.) 4-Bbl. V8(A)	6.2 Liter (379 Cu. In.) Diesel V8(A)	7.4 Liter (454 Cu. In. 4-Bbl. V8(A)			
BLAZER C10 (2WD) K10 (4WD)	LE3* LE3*	LE9* LE9*	LF3†	LS9†	LH6				
SUBURBAN C10 (2WD) K20 (4WD) C10 (2WD) K20 (4WD)		LE9*		LS9 LT9 LS9 LT9	LH6 LL4 LH6 LL4	LE8			
CHEVY VAN/SI G10 G20 G30	PORTVAN LE3 LE3*	LE9* LE9*	LF3†• LF3†	LS9A LS9A LT9ALS9A					

^{*}Not available in California.

A WORD ABOUT ASSEMBLY, COMPONENTS AND OPTIONAL EQUIPMENT IN THESE CHEVROLETS.

The Chevrolets described in this brochure are assembled at facilities of General Motors Corporation operated by the GM Assembly Division. These vehicles incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet optional equipment, make certain you

public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to produce Chevrolet products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name. With respect to extra cost

specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes the optional equipment you ordered or, if there are changes, that they are acceptable to you.

A WORD ABOUT ENGINES

Some Chevrolets are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. Please see your dealer for details

[†]Available only to law enforcement agencies for law enforcement pursuit

⁽A) Produced by GM—Chevrolet Motor Division.

⁽B) Produced by GM—Chevrolet Motor Division and GM of Canada.

⁽A) Produced by GM-Chevrolet Motor Division.

⁽B) Produced by GM-Chevrolet Motor Division and GM of Canada.

[·] Available only in California.

[†]Available only to law enforcement agencies for law enforcement pursuit

⁽A) Produced by GM-Chevrolet Motor Division.

⁽B) Produced by GM—Chevrolet Motor Division and GM of Canada

⁽A) Produced by GM—Chevrolet Motor Division.

⁽B) Produced by GM—Chevrolet Motor Division and GM of Canada.

[·] Available only in California.

[†]Available in California only.

⁽A) Produced by GM-Chevrolet Motor Division

⁽B) Produced by GM-Chevrolet Motor Division and GM of Canada

[▲] Available on Sportvan only

[·] Not available in California on Sportvans

[■] Not available on Sportvans

Additional equipment available on Impala and Malibu Classic police and taxi vehicles

REGULAR PRODUCTION OPTIONS (RPO) G63			aggic .				assic .	
Us3 Deko AM/FM pais-buttor radio 7X4 Lamp—lungage compartment Lam		10	J.Clo			10	CICLE	
Us3 Deko AM/FM pais-buttor radio 7X4 Lamp—lungage compartment Lam	. 05	Di No	100	PECULAR PRODUCTION OPTIONS (PRO)	100	Jon No	No.	
Us3 Dekco MM/PM pash-buttor radio TX4 Lamp—luggage compartment La	10.	4.	ocn	ALCOLAR PRODUCTION OPTIONS (RPO)			607	Lamp - outra dama batuaran visors with switch
B84 Body side moldings	H	H	COU	Air conditioning—Four Season		-	007	attached
B84 Body side moldings	H	H					7¥4	
B84 Body side moldings	H	H				H		Lamp—ruggage compartment
B84 Body side moldings	H	H			1	H		Molding reveal quarter helt
N33						H		Rearylety outside mirror R H
N33	100					H		
B332 Floor mats—rear	-	-		Body-side moldings	H	H		
B332 Floor mats—rear	H	-		Automatic annual control with Posuma feature	H	H		
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed COL Intertitine Nally type G88 Limited slip differential Power windows A03 Power windows A04 Power windows A05 Power contensa (includes radio suppression) (available only with radio equipment) B31 Quiet Sound Group—insulation B31 Rearview miror—L.H. remote control A01 D33 Rearview miror—L.H. & L.H. remote control A02 Tinted glass—windshield only (U76 required for windshield antenna on Impala) A03 Tinted glass—windshield only (U76 required for windshield antenna (includes radio suppression) A04 Windshield antenna (includes radio suppression) B35 Ashtray relocation from under dash to front door armrest G67 Ashtray relocation from under dash to front door armrest G79 Seat construction—heavy-duty front 55/45	H						/AI	
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed COL Intertitine Nally type G88 Limited slip differential Power windows A03 Power windows A04 Power windows A05 Power contensa (includes radio suppression) (available only with radio equipment) B31 Quiet Sound Group—insulation B31 Rearview miror—L.H. remote control A01 D33 Rearview miror—L.H. & L.H. remote control A02 Tinted glass—windshield only (U76 required for windshield antenna on Impala) A03 Tinted glass—windshield only (U76 required for windshield antenna (includes radio suppression) A04 Windshield antenna (includes radio suppression) B35 Ashtray relocation from under dash to front door armrest G67 Ashtray relocation from under dash to front door armrest G79 Seat construction—heavy-duty front 55/45	H						671	
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed COL Intertitine Nally type G88 Limited slip differential Power windows A03 Power windows A04 Power windows A05 Power contensa (includes radio suppression) (available only with radio equipment) B31 Quiet Sound Group—insulation B31 Rearview miror—L.H. remote control A01 D33 Rearview miror—L.H. & L.H. remote control A02 Tinted glass—windshield only (U76 required for windshield antenna on Impala) A03 Tinted glass—windshield only (U76 required for windshield antenna (includes radio suppression) A04 Windshield antenna (includes radio suppression) B35 Ashtray relocation from under dash to front door armrest G67 Ashtray relocation from under dash to front door armrest G79 Seat construction—heavy-duty front 55/45	H	10000				-	OZI	sutomatic eneed control)
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed COL Intertitine Nally type G88 Limited slip differential Power windows A03 Power windows A04 Power windows A05 Power contensa (includes radio suppression) (available only with radio equipment) B31 Quiet Sound Group—insulation B31 Rearview miror—L.H. remote control A01 D33 Rearview miror—L.H. & L.H. remote control A02 Tinted glass—windshield only (U76 required for windshield antenna on Impala) A03 Tinted glass—windshield only (U76 required for windshield antenna (includes radio suppression) A04 Windshield antenna (includes radio suppression) B35 Ashtray relocation from under dash to front door armrest G67 Ashtray relocation from under dash to front door armrest G79 Seat construction—heavy-duty front 55/45	H						7117	
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed COL Intertitine Nally type G88 Limited slip differential Power windows A03 Power windows A04 Power windows A05 Power contensa (includes radio suppression) (available only with radio equipment) B31 Quiet Sound Group—insulation B31 Rearview miror—L.H. remote control A01 D33 Rearview miror—L.H. & L.H. remote control A02 Tinted glass—windshield only (U76 required for windshield antenna on Impala) A03 Tinted glass—windshield only (U76 required for windshield antenna (includes radio suppression) A04 Windshield antenna (includes radio suppression) B35 Ashtray relocation from under dash to front door armrest G67 Ashtray relocation from under dash to front door armrest G79 Seat construction—heavy-duty front 55/45	H				H	H		Spotlight L.H. (Unity model 255, 6-inch)
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed Classic with UF7 gage package) Front and rear floor mats—color keyed Front and rear floor mats—color keyed Classic with UF7 gage package) Front and rear floor mats—color keyed Front and rear floor mats—color keyed Classic with UF7 gage package) Front and rear floor mats—color keyed Front and rear floor mats—color mats—color heavy—duty front backet Front and rear floor mats—color mat	H				H	H		Spotlight L. H. and P. H. (Unity model 225, 6-inch)
Classic with UF7 gage package) UB8 Electric clock—digital B37 Front and rear floor mats—color keyed Front and rear floor mats—color keyed COL Intertitine Nally type G88 Limited slip differential Power windows A03 Power windows A04 Power windows A05 Power contensa (includes radio suppression) (available only with radio equipment) B31 Quiet Sound Group—insulation B31 Rearview miror—L.H. remote control A01 D33 Rearview miror—L.H. & L.H. remote control A02 Tinted glass—windshield only (U76 required for windshield antenna on Impala) A03 Tinted glass—windshield only (U76 required for windshield antenna (includes radio suppression) A04 Windshield antenna (includes radio suppression) B35 Ashtray relocation from under dash to front door armrest G67 Ashtray relocation from under dash to front door armrest G79 Seat construction—heavy-duty front 55/45	H					H		
USB Electric clock—digital 5573 Wheel trim—Rally type 6784 Sat upholstery—standard viny 6784 Sat construction—heavy-duty front 50/50.			035			H		Transmission first gast blockout
B37 Front and rear floor mats—color keyed GCB CCB CC			LIEG		-	H		Wheel trim Pally type
CD4 Intermittent windshield wiper system				Electric clock—digital		H		White PG58 A/Lantenna cable (behin, dome lamp to
G80	-	H			ш		oco	
AG9 Power (6-way) front bench seat 772	H	H	CD4				GEA.	
AG9 Power (6-way) front bench seat 772	H	H			H	H		
AG9 Power (6-way) front bench seat 772							CIO	
only with radio equipment) BSI Quiet Sound Group—insulation D33 Rearview mirror—L.H. remote control D63 Rearview mirror—L.H. remote control D64 Rearview mirror—L.H. remote control D65 Rearview mirror—L.H. remote control D66 Rearview mirror—L.H. remote control D67 Rearview mirror—L.H. remote control D68 Rearview mirror—L.H. remote control D69 Rearview mirror—L.H. remote control D60 Rearview mirror—L.H. remote control D61 Rearview mirror—L.H. remote control D62 Rearview mirror—L.H. remote control D63 Rearview mirror—L.H. remote control D64 Rearview mirror—L.H. remote control D65 Seat construction—heavy-duty front 50/50 Seat construction—heavy-duty front 50/50 Seat construction—heavy-duty vinyl, dark blue or doeskin S66 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin S67 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin S68 Ashtray relocation from under dash to front door armrest C69 Conduit—1½-inch radio conduit routed inside from dash to trunk C60 Cooler—power steering fluid (LM1 and L64 engines only) D78 Cooler—engine oii (LM1 and L64 engines only) C60 Switches—door jamb dome light S76 Seat upholstery—standard cloth S67 Seat upholstery—standard cloth S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S69 Spare tire relocation (available only with 5JS/5JN tires) S69 Spare tire relocation (available only with 5JS/5JN tires) S								POLICE VEHICLES ONLY
only with radio equipment) BSI Quiet Sound Group—insulation D33 Rearview mirror—L.H. remote control D63 Rearview mirror—L.H. remote control D64 Rearview mirror—L.H. remote control D65 Rearview mirror—L.H. remote control D66 Rearview mirror—L.H. remote control D67 Rearview mirror—L.H. remote control D68 Rearview mirror—L.H. remote control D69 Rearview mirror—L.H. remote control D60 Rearview mirror—L.H. remote control D61 Rearview mirror—L.H. remote control D62 Rearview mirror—L.H. remote control D63 Rearview mirror—L.H. remote control D64 Rearview mirror—L.H. remote control D65 Seat construction—heavy-duty front 50/50 Seat construction—heavy-duty front 50/50 Seat construction—heavy-duty vinyl, dark blue or doeskin S66 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin S67 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin S68 Ashtray relocation from under dash to front door armrest C69 Conduit—1½-inch radio conduit routed inside from dash to trunk C60 Cooler—power steering fluid (LM1 and L64 engines only) D78 Cooler—engine oii (LM1 and L64 engines only) C60 Switches—door jamb dome light S76 Seat upholstery—standard cloth S67 Seat upholstery—standard cloth S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S68 Spare tire relocation (available only with 5JS/5JN tires) S69 Spare tire relocation (available only with 5JS/5JN tires) S69 Spare tire relocation (available only with 5JS/5JN tires) S							7Y2	Lamp—door ajar warning
BS1			075		-			
DF3 Rearview mirror—R.H. & L. H. remote control GB8 Seat construction—heavy-duty front 55/45 AO1	_		more					
DF3 Rearview mirror—R.H. & L. H. remote control GB8 Seat construction—heavy-duty front 55/45 AO1		-		Quiet Sound Group—insulation				
AO2 Tinted glass—windshield only (U76 required for windshield antenna on Impala) GC2 Seat construction—heavy-duty front 50/50 GC2 Seat construction—heavy-duty rear bench GC2 Seat construction—heavy-duty rear bench GC3 Seat upholstery—seamless heavy-duty vinyl, dark blue or doeskin GC5 Seat upholstery—seamless heavy-duty vinyl, dark blue or doeskin GC5 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin GC5 Seat upholstery—standard vinyl GC6 Seat upholstery—standard vinyl GC6 Seat upholstery—standard vinyl GC7 Seat upholstery—standard vinyl GC7 Seat upholstery—standard vinyl GC7 Seat upholstery—standard vinyl GC8 Seat upholstery—standard cloth GC8 Seat upholstery—standard vinyl	H							Seat construction—heavy-duty front 55/45
AO2 Tinted glass—windshield only (U76 required for windshield antenna on Impala) GC2 Seat construction—heavy-duty rear bench GC2 Seat upholstery—seamless heavy-duty vinyl, dark blue or doeskin GR6 Seat upholstery—seamless heavy-duty vinyl, dark blue or doeskin GR7 Seat upholstery—seamless heavy-duty vinyl, dark blue or doeskin GR7 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin GR7 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin GR7 Seat upholstery—seamless heavy-duty cloth, dark blue or doeskin GR7 Seat upholstery—standard vinyl GR8 Seat upholstery—standard vinyl GR8 Seat upholstery—standard cloth GR8 Seat upholstery—standard cloth GR8 Seat upholstery—standard cloth GR9 Seat upholstery—standard vinyl	Н					Ti.		Seat construction—heavy-duty front bucket
windshield antenna on Impala) U76 Windshield antenna (includes radio suppression) SPECIAL EQUIPMENT OPTIONS (SEO) POLICE AND TAXI VEHICLES 6F8 Ashtray relocation from under dash to front door armrest 6F9 Conduit—1½-inch radio conduit routed inside from dash to trunk 6F9 Conduit—1½-inch radio conduit routed inside from dash to trunk 6F9 Cooler—power steering fluid (LM1 and LG4 engines only) 6F9 Cooler—engine oil (LM1 and LG4 engines only) 6F9 Cooler—engine oil (LM1 and LG4 engines only) 6F0 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 6F0 Electric trunk opener in dash 6F0 F1 F225/70R15 fabric radial low police service (requires 9A3) (5 tires alike) 6F0 F3 F4 Generator—80-amp Delcotron (58-amp at 700 RPM idle) 6F0 F2 F4	Н	-		Tinted glass—all windows	ī	-		
SPECIAL EQUIPMENT OPTIONS (SEO) POLICE AND TAXI VEHICLES 6F8 Ashtray relocation from under dash to front door armrest 6C9 Conduit—1½-inch radio conduit routed inside from dash to trunk 7L9 Cooler—power steering fluid (LM1 and LG4 engines only) 7L9 Cooler—engine oil (LM1 and LG4 engines only) 7P8 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 8E5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 6H5 Electric trunk opener in dash 7P4 Gages—voltmeter, oil pressure and water temperature 7P5 Generator—70-amp Delcotron (50-amp at 700 RPM idle) 7P6 Generator—80-amp Delcotron (58-amp at 700 RPM idle) 6B7 Hole in roof panel 8B7 Hoses—silicone radiator and heater (LM1 and LG4 engines only) 6B2 Key, single locking—fleet keyed alike (3 keys) 6B4 Key, single locking—fleet keyed alike (3 keys) 6B5 Ashtray relocation form under dash to front door armrest or deskin or doeskin or doesk			AUZ					
SPECIAL EQUIPMENT OPTIONS (SEO) POLICE AND TAXI VEHICLES 6F8 Ashtray relocation from under dash to front door armrest 6C9 Conduit—1½-inch radio conduit routed inside from dash to trunk 7L9 Cooler—power steering fluid (LM1 and LG4 engines only) 7L9 Cooler—engine oil (LM1 and LG4 engines only) 7P8 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 8E5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 6H5 Electric trunk opener in dash 7P4 Gages—voltmeter, oil pressure and water temperature 7P5 Generator—70-amp Delcotron (50-amp at 700 RPM idle) 7P6 Generator—80-amp Delcotron (58-amp at 700 RPM idle) 6B7 Hole in roof panel 8B7 Hoses—silicone radiator and heater (LM1 and LG4 engines only) 6B2 Key, single locking—fleet keyed alike (3 keys) 6B4 Key, single locking—fleet keyed alike (3 keys) 6B5 Ashtray relocation form under dash to front door armrest or deskin or doeskin or doesk	-		2000		n			
SPECIAL EQUIPMENT OPTIONS (SEO) POLICE AND TAXI VEHICLES 6F8 Ashtray relocation from under dash to front door armrest 6F8 Ashtray relocation from under dash to front door armrest 6F8 Conduit—1½-inch radio conduit routed inside from dash to trunk 7F9 Cooler—power steering fluid (LM1 and LG4 engines only) 7F8 Cooler—engine oil (LM1 and LG4 engines only) 7F8 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 7F9 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) 7F9 Electric trunk opener in dash engines only) 7F9 Electric trunk opener in dash (requires 9A3) (5 tires alike) 7F9 Generator—70-amp Delcotron (50-amp at 700 RPM idle) 7F9 Generator—80-amp Delcotron (58-amp at 700 RPM idle) 7F9 Generator—90-amp Delcotron (58-amp at			U76	Windshield antenna (includes radio suppression)	1	1	2000	
POLICE AND TAXI VEHICLES Ashtray relocation from under dash to front door armrest Ashtray relocation from under dash to front door armrest Conduit—1½-inch radio conduit routed inside from dash to trunk Cooler—power steering fluid (LM1 and LG4 engines only) 7L9 Cooler—engine oil (LM1 and LG4 engines only) RE5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) BE5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) CHS Electric trunk opener in dash TRE5, P225/70R15 fabric radial w/w police service (requires 9A3) (5 tires alike) TRE5, P225/70R15 fabric radial b/w police service (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) TRE5, P225/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike)				SPECIAL EQUIPMENT OPTIONS (SEO)			6R7	
6F8				POLICE AND TAXI VEHICLES				
armrest Conduit—1½-inch radio conduit routed inside from dash to trunk Cooler—power steering fluid (LM1 and LG4 engines only) 7P8 Cooler—engine oil (LM1 and LG4 engines only) RES Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) GH5 Electric trunk opener in dash 7P4 Engine block heater (not available with YF5) 7P5 Generator—70-amp Delcotron (50-amp at 700 RPM idle) 7P6 Generator—80-amp Delcotron (58-amp at 700 RPM idle) GES Key, single locking—fleet keyed alike (3 keys) GES Key, single locking—fleet keyed alike (3 keys) GAS Seat upholstery—standard cloth GB4 Spare tire relocation (available only with 5JS/5JN tires) Spacedometer —production (type (for undercover work) Switches—rear door jamb dome light Tres, P225/70R15 fabric radial w/w police service (requires 9A3) (5 tires alike) SJN Tires, P225/70R15 fabric radial b/w police service (requires 9A3) (5 tires alike) SKV Tires, P225/70R15 steel belted b/w non-high speed Tires, P225/70R15 fabric radial b/w police service (requires 9A3) (5 tires alike) SKV Tires, P225/70R15 fabric radial b/w police service (requires 9A3) (5 tires alike)			6F8	Ashtrau relocation from under dash to front door			6S5	Seat upholstery—standard vinyl
GC9		-						Seat upholstery—standard cloth
dash to trunk 7L9			6C9			-		Spare tire relocation (available only with 5JS/5JN tires)
TL9 Cooler—power steering fluid (LM1 and LG4 engines only) TP8 Cooler—engine oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only) Set Cooling, heavy-door light w/w police service (requires 9A3) (5 tires alike) Set Cooling, heavy-door light w/w police service (requires 9A3) (5 tires alike) Set Coolin	1							
SE5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only)			71.9					Speedometer—production type (for undercover work)
SE5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only)								
SE5 Cooling, heavy-duty—transmission oil (LM1 and LG4 engines only)			7P8					Switches—door jamb, inoperative for dome light
engines only) GH5	H	Ħ		Cooling heavy-duty—transmission oil (I M1 and I G4				Tires, P225/70R15 fabric radial w/w police service
GH5 Electric trunk opener in dash SJN Tires, P225/70R15 fabric radial b/w police service (requires 9A3) (5 tires alike) SKV Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKV Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKV Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKV Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SGQ Tires, P225/70R15 steel belted b/w non-high speed SKW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) SKW Tires, P205/70R14 fabric radial b/w police service (-	1			No.		10000	
Type			6H5	Electric trunk opener in dash			5JN	Tires, P225/70R15 fabric radial b/w police service
TZ4 Gages—voltmeter, oil pressure and water temperature TK3 Generator—70-amp Delcotron (50-amp at 700 RPM idle) TK4 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK4 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK5 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK6 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK8 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK9 Tires, P205/70R14 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) Tres, P205/70R15 steel belted b/w non-high speed (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires alike) Tres, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/70R16 fabric radial b/w police service (requires 9A3) (5 tires, P205/7	H	H						
TK3 Generator—70-amp Delcotron (50-amp at 700 RPM idle) TK4 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK5 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK6 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK8 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK8 Generator—70-amp Delcotron (50-amp at 700 RPM idle) TK9 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK9 Generator—80-amp Delcotron (58-amp at 700 RPM idle) TK9 Generator—90-amp Delcotron (50-amp at 700 RPM idle) TK9 Generator—70-amp Delcotron (50-amp at 700 RPM idle) TK9 Generator—80-amp Delcotron (50-amp at 700 RPM idle) TK9 Generator—80-amp Delcotron (50-amp at 700 RPM idle) TK9 Generator—90-amp delcotron (50-amp at 700 RPM i	H						5KV	
idle) 7K4 Generator—80-amp Delcotron (58-amp at 700 RPM 5KW Tires, P225/70R15 steel belted b/w non-high speed 5KW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) 8B7 Hole in roof panel 8B7 Hoses—silicone radiator and heater (LM1 and LG4 engines only) 6E2 Key, single locking—fleet keyed alike (3 keys) 6A4 Key, single locking—single vehicle (3 keys)	H							
TK4 Generator—80-amp Delcotron (58-amp at 700 RPM 5KW Tires, P205/70R14 fabric radial w/w police service (requires 9A3) (5 tires alike) 687 Hole in roof panel 887 Hoses—silicone radiator and heater (LM1 and LG4 engines only) 682 Key, single locking—fleet keyed alike (3 keys) 684 Key, single locking—single vehicle (3 keys)	_	-	ZINO		4 1		5GO	
idle) (requires 9A3) (5 tires alike) 687			7K4		-		100000000000000000000000000000000000000	
687 Hole in roof panel		1	A. A. A. A.	And the second s		-	2000.0.7.7	
B87 Hoses—silicone radiator and heater (LM1 and LG4 engines only) 682 Key, single locking—fleet keyed alike (3 keys) 684 Key, single locking—single vehicle (3 keys)			6B7	A STATE OF THE PROPERTY OF THE				Management of the Control of the Con
engines only) GE2 Key, single locking—fleet keyed alike (3 keys) GA4 Key, single locking—single vehicle (3 keys)	H							
6E2 Key, single locking—fleet keyed alike (3 keys) 6A4 Key, single locking—single vehicle (3 keys)			001					
6A4 Key, single locking—single vehicle (3 keys)			6F2					
	H	H						
	H							

COMPUTER COMMAND CONTROL FOR IMPALA AND MALIBU CLASSIC

This sophisticated, thoroughly tested on-board computer continuously monitors gasoline engine functions. It also fine-tunes engine performance, under all normal

operating conditions, as you drive. Air-fuel mixtures are constantly adjusted to driving conditions, and the system helps compensate for altitude, barometric pressure and temperature changes.

Another benefit of Computer Command Control is that it is covered by the 5-year/50,000-mile emissions system warranty. Ask your dealer for details.